

Faktorer som påverkar risken att bli allergisk som barn

revidering nov 2015

Referenser

Arv och miljö

- Anderson HR, Ruggles R, Strachan DP, Austin JB, Burr M, Jeffs D, et al. Trends in prevalence of symptoms of asthma, hay fever, and eczema in 12-14 year olds in the British Isles, 1995-2002: questionnaire survey. *BMJ*. 2004 May 1;328(7447):1052-3.
- Zollner IK, Weiland SK, Piechotowski I, Gabrio T, von Mutius E, Link B, et al. No increase in the prevalence of asthma, allergies, and atopic sensitization among children in Germany: 1992-2001. *Thorax*. 2005 Jul;60(7):545-8.
- Ober C, Thompson EE. Rethinking genetic models of asthma: the role of environmental modifiers. *Current opinion in immunology*. 2005 Dec;17(6):670-8.
- Melen E, Nyberg F, Lindgren CM, Berglind N, Zucchelli M, Nordling E, et al. Interactions between glutathione S-transferase P1, tumor necrosis factor, and traffic-related air pollution for development of childhood allergic disease. *Environmental health perspectives*. 2008 Aug;116(8):1077-84.
- Macintyre E et al. GSTP1 and TNF Gene Variants and Associations between Air Pollution and Incident Childhood Asthma: The Traffic, Asthma and Genetics (TAG) Study. *Environ Health Perspect*. 2014 Apr;122(4):418-24.
- Gilliland FD, Li YF, Dubeau L, Berhane K, Avol E, McConnell R, et al. Effects of glutathione S-transferase M1, maternal smoking during pregnancy, and environmental tobacco smoke on asthma and wheezing in children. *American journal of respiratory and critical care medicine*. 2002 Aug 15;166(4):457-63.
- Caliskan M et al. Rhinovirus wheezing illness and genetic risk of childhood-onset asthma. *N Engl J Med*. 2013 Apr 11;368(15):1398-407.
- Gruzieva O, Merid SK, Melén E. An update on epigenetics and childhood respiratory diseases. *Paediatr Respir Rev*. 2014 Dec;15(4):348-54.
- Joubert BR, et al. 450K epigenome-wide scan identifies differential DNA methylation in newborns related to maternal smoking during pregnancy. *Environ Health Perspect*. 2012 Oct;120(10):1425-31.
- Liang L, Willis-Owen SA, Laprise C, et al. An epigenome-wide association study of total serum immunoglobulin E concentration. *Nature* 2015 Apr 30;520(7549):670-4.

Hygienhypotesen

- Strachan DP. Hay fever, hygiene, and household size. *BMJ*. 1989 Nov 18;299(6710):1259-60.
- von Mutius E. Allergies, infections and the hygiene hypothesis--the epidemiological evidence. *Immunobiology*. 2007;212(6):433-9.
- Schaub B, Lauener R, von Mutius E. The many faces of the hygiene hypothesis. *The Journal of allergy and clinical immunology*. 2006 May;117(5):969-77.
- Wlasiuk G, Vercelli D. The farm effect, or: when, what and how a farming environment protects from asthma and allergic disease. *Curr Opin Allergy Clin Immunol*. 2012 Oct;12(5):461-6.
- Garn H, Neves JF, Blumberg RS, Renz H. Effect of barrier microbes on organ-based inflammation. *J Allergy Clin Immunol*. 2013 Jun;131(6):1465-78.
- Brooks C, Pearce N, Douwes J. The hygiene hypothesis in allergy and asthma: an update. *Curr Opin Allergy Clin Immunol*. 2013 Feb;13(1):70-7.

Infektioner

- von Mutius E, Illi S, Hirsch T, Leupold W, Keil U, Weiland SK. Frequency of infections and risk of asthma, atopy and airway hyperresponsiveness in children. *Eur Respir J*. 1999 Jul;14(1):4-11.
- Calvani M, Jr., Alessandri C, Bonci E. Fever episodes in early life and the development of atopy in children with asthma. *Eur Respir J*. 2002 Aug;20(2):391-6.
- Matricardi PM, Rosmini F, Riondino S, Fortini M, Ferrigno L, Rapicetta M, et al. Exposure to foodborne and orofecal microbes versus airborne viruses in relation to atopy and allergic asthma: epidemiological study. *BMJ (Clinical research ed)*. 2000 Feb 12;320(7232):412-7.
- von Mutius E. Infection: friend or foe in the development of atopy and asthma? The epidemiological evidence. *Eur Respir J*. 2001 Nov;18(5):872-81.
- Braun-Fahrlander C, Riedler J, Herz U, Eder W, Waser M, Grize L, et al. Environmental exposure to endotoxin and its relation to asthma in school-age children. *The New England journal of medicine*. 2002 Sep 19;347(12):869-77.
- Johnston NW, Sears MR. Asthma exacerbations . 1: epidemiology. *Thorax*. 2006 Aug;61(8):722-8.
- Szeffler SJ. Asthma exacerbations: putting a lid on the volcano. *The Journal of allergy and clinical immunology*. 2008 Oct;122(4):697-9.
- Rakes GP, Arruda E, Ingram JM, Hoover GE, Zambrano JC, Hayden FG, et al. Rhinovirus and respiratory syncytial virus in wheezing children requiring emergency care. IgE and eosinophil analyses. *American journal of respiratory and critical care medicine*. 1999 Mar;159(3):785-90.
- Jartti T, Lehtinen P, Vuorinen T, Osterback R, van den Hoogen B, Osterhaus AD, et al. Respiratory picornaviruses and

Faktorer som påverkar risken att bli allergisk som barn

revidering nov 2015

- respiratory syncytial virus as causative agents of acute expiratory wheezing in children. Emerging infectious diseases. 2004 Jun;10(6):1095-101.
10. Sigurs N, Gustafsson PM, Bjarnason R, Lundberg F, Schmidt S, Sigurbergsson F, et al. Severe respiratory syncytial virus bronchiolitis in infancy and asthma and allergy at age 13. American journal of respiratory and critical care medicine. 2005 Jan 15;171(2):137-41.
 11. Korppi M, Piippo-Savolainen E, Korhonen K, Remes S. Respiratory morbidity 20 years after RSV infection in infancy. Pediatric pulmonology. 2004 Aug;38(2):155-60.
 12. Brand PL, Baraldi E, Bisgaard H, Boner AL, Castro-Rodriguez JA, Custovic A, et al. Definition, assessment and treatment of wheezing disorders in preschool children: an evidence-based approach. Eur Respir J. 2008 Oct;32(4):1096-110.
 13. Bont L, Aalderen WM, Kimpen JL. Long-term consequences of respiratory syncytial virus (RSV) bronchiolitis. Paediatric respiratory reviews. 2000 Sep;1(3):221-7.
 14. Stein RT, Sherrill D, Morgan WJ, Holberg CJ, Halonen M, Taussig LM, et al. Respiratory syncytial virus in early life and risk of wheeze and allergy by age 13 years. Lancet. 1999 Aug 14;354(9178):541-5.
 15. Lemanske RF, Jr., Jackson DJ, Gangnon RE, Evans MD, Li Z, Shult PA, et al. Rhinovirus illnesses during infancy predict subsequent childhood wheezing. The Journal of allergy and clinical immunology. 2005 Sep;116(3):571-7.
 16. Goksör E, Åmark M, Alm B, Gustafsson PM, Wennergren G. Asthma symptoms in early childhood--what happens then? Acta Paediatr. 2006 Apr;95(4):471-8.
 17. Goksör E, Åmark M, Alm B, Ekerljung L, Lundbäck B, Wennergren G. High risk of adult asthma following severe wheezing in early life. Pediatr Pulmonol 2015 Aug;50(8):789-97.
 18. Thomsen SF, van der Sluis S, Stensballe LG, Posthuma D, Skytthe A, Kyvik KO, et al. Exploring the association between severe respiratory syncytial virus infection and asthma: a registry-based twin study. American journal of respiratory and critical care medicine. 2009 Jun 15;179(12):1091-7.
 19. Stensballe LG, Simonsen JB, Thomsen SF, Larsen AM, Lysdal SH, Aaby P, et al. The causal direction in the association between respiratory syncytial virus hospitalization and asthma. The Journal of allergy and clinical immunology. 2009 Jan;123(1):131-7 e1.

Antipyretika

1. Beasley R, Clayton T, Crane J, von Mutius E, Lai CK, Montefort S, et al. Association between paracetamol use in infancy and childhood, and risk of asthma, rhinoconjunctivitis, and eczema in children aged 6-7 years: analysis from Phase Three of the ISAAC programme. Lancet. 2008 Sep 20;372(9643):1039-48.
2. Lawrence J, Moore E, Port L, Danchin M, Connell T. Paracetamol as a risk factor for allergic disorders. Lancet. 2009 Jan 10;373(9658):119; author reply 20-1.
3. Shaheen SO, Newson RB, Henderson AJ, Headley JE, Stratton FD, Jones RW, et al. Prenatal paracetamol exposure and risk of asthma and elevated immunoglobulin E in childhood. Clin Exp Allergy. 2005 Jan;35(1):18-25.

Antibiotika

1. Marra F, Lynd L, Coombes M, Richardson K, Legal M, Fitzgerald JM, et al. Does antibiotic exposure during infancy lead to development of asthma?: a systematic review and metaanalysis. Chest. 2006 Mar;129(3):610-8.
2. Marra F, Marra CA, Richardson K, Lynd LD, Kozyrskyj A, Patrick DM, et al. Antibiotic use in children is associated with increased risk of asthma. Pediatrics. 2009 Mar;123(3):1003-10.
3. Thomas M, Custovic A, Woodcock A, Morris J, Simpson A, Murray CS. Atopic wheezing and early life antibiotic exposure: a nested case-control study. Pediatr Allergy Immunol. 2006 May;17(3):184-8.
4. Kummeling I, Stelma FF, Dagnelie PC, Snijders BE, Penders J, Huber M, et al. Early life exposure to antibiotics and the subsequent development of eczema, wheeze, and allergic sensitization in the first 2 years of life: the KOALA Birth Cohort Study. Pediatrics. 2007 Jan;119(1):e225-31.
5. Alm B, Erdes L, Möllborg P, Pettersson R, Norvenius SG, Aberg N, et al. Neonatal antibiotic treatment is a risk factor for early wheezing. Pediatrics. 2008 Apr;121(4):697-702.
6. Goksör E, Alm B, Thengilsdottir H, Pettersson R, Åberg N, Wennergren G. Preschool wheeze – impact of early fish introduction and neonatal antibiotics. Acta Paediatr 2011; 100 (12): 1561-6.
7. Goksör E, Alm B, Pettersson R, Möllborg P, Erdes L, Åberg N, Wennergren G. Early fish introduction and neonatal antibiotics affect the risk of asthma into school age. Pediatr Allergy Immunol 2013; 24 (4): 339-44.
8. Kusel MM, de Klerk N, Holt PG, Sly PD. Antibiotic use in the first year of life and risk of atopic disease in early childhood. Clin Exp Allergy. 2008 Dec;38(12):1921-8.
9. Almqvist C, Wettermark B, Hedlin G, Ye W, Lundholm C. Antibiotics and asthma medication in a large register-based cohort study - confounding, cause and effect. Clin Exp Allergy. 2012; 42(1): 104-11.
10. Örtqvist AK, Lundholm C, Kieler H, Ludvigsson JF, Fall T, Ye W, Almqvist C. Antibiotics in fetal and early life and subsequent childhood asthma: nationwide population based study with sibling analysis. BMJ. 2014 Nov 28;349:g6979.

Vaccinationer

1. Hedenskog S, Björkstén B, Blennow M, Granström G, Granström M. Immunoglobulin E response to pertussis toxin in

Faktorer som påverkar risken att bli allergisk som barn

revidering nov 2015

- whooping cough and after immunization with a whole-cell and an acellular pertussis vaccine. *Int Arch Allergy Appl Immunol.* 1989;89(2-3):156-61.
2. White OJ, McKenna KL, Bosco A, H J van den Biggelaar A, Richmond P, Holt PG. A genomics-based approach to assessment of vaccine safety and immunogenicity in children. *Vaccine.* 2012 Feb 27;30(10):1865-74.
 3. Nilsson L, Kjellman NI, Björkstén B. A randomized controlled trial of the effect of pertussis vaccines on atopic disease. *Arch Pediatr Adolesc Med.* 1998 Aug;152(8):734-8.
 4. Vogt H, Bräbäck L, Kling AM, Grünewald M, Nilsson L. Pertussis immunization in infancy and adolescent asthma medication. *Pediatrics.* 2014 Oct;134(4):721-8.
 5. Grüber C, Warner J, Hill D, Bauchau V; EPAAC Study Group. Early atopic disease and early childhood immunization – is there a link? *Allergy.* 2008;63:1464-72.
 6. Rosenlund H, Bergström A, Alm JS, Swartz J, Scheynius A, van Hage M, Johansen, K, Brunekreef B, von Mutius E, Ege MJ, Riedler J, Braun-Fahrlander C, Waser M, Pershagen G; PARISFAL Study Group. Allergic Disease and Atopic Sensitization in Children in Relation to Measles Vaccination and Measles Infection. *Pediatrics.* 2009;123:771-8.
 7. Hviid A, Melbye M. Measles-mumps-rubella vaccination and asthma-like disease in early childhood. *Am J Epidemiol.* 2008;168:1277-83.
 8. Haileamlak A, Dagoye D, Williams H, Venn AJ, Hubbard R, Britton J, Lewis SA- Early life risk factors for atopic dermatitis in Ethiopian children. *J Allergy Clin Immunol.* 2005;115:370-6.
 9. Alm JS, Swartz J, Lilja G, Scheynius A, Pershagen G. Atopy in children of families with an anthroposophic lifestyle. *Lancet.* 1999; 353:1485-8.
 10. Flöistrup H et al. Allergic disease and sensitization in Steiner school children. *J Allergy Clin Immunol.* 2006;117:59-66.
 11. Koppen S, de Groot R, Neijens HJ, Nagelkerke N, van Eden W, Rümke HC. No epidemiological evidence for infant vaccinations to cause allergic disease. *Vaccine.* 2004 Sep 3;22(25-26):3375-85.
 12. Thomson JA, Widjaja C, Darmaputra AA, Lowe A, Matheson MC, Bennett CM, Allen K, Abramson MJ, Hosking C, Hill D, Dharmage SC. Early childhood infections and immunisation and the development of allergic disease in particular asthma in a high-risk cohort: A prospective study of allergy-prone children from birth to six years. *Pediatric Allergy Immunol.* 2010 Nov;21(7):1076-85.
 13. Grabenhenrich L, B, Gough H, Reich A, Eckers N, Zep F, Nitsche O, et al. Early-life determinants of asthma from birth to age 20 years: A German birth cohort study. *J Allergy Clin Immunol.* 2014;133(4):979-988.

Pälsdjur

1. Palmqvist M, Pettersson K, Sjostrand M, Andersson B, Lowhagen O, Lotvall J. Mild experimental exacerbation of asthma induced by individualised low-dose repeated allergen exposure. A double-blind evaluation. *Respiratory medicine.* 1998 Oct;92(10):1223-30.
2. Almqvist C, Wickman M, Perfetti L, Berglind N, Renstrom A, Hedren M, et al. Worsening of asthma in children allergic to cats, after indirect exposure to cat at school. *American journal of respiratory and critical care medicine.* 2001 Mar;163(3 Pt 1):694-8.
3. Millqvist E, Johansson A, Mansson T, Bende M. A prospective study of allergy development in 158 children and 128 adults with new extensive exposure to furred animals. *Clin Exp Allergy.* 2007 Jun;37(6):948-53.
4. Hesselmar B, Aberg N, Aberg B, Eriksson B, Bjorksten B. Does early exposure to cat or dog protect against later allergy development? *Clin Exp Allergy.* 1999 May;29(5):611-7.
5. Remes ST, Castro-Rodriguez JA, Holberg CJ, Martinez FD, Wright AL. Dog exposure in infancy decreases the subsequent risk of frequent wheeze but not of atopy. *The Journal of allergy and clinical immunology.* 2001 Oct;108(4):509-15.
6. Nafstad P, Magnus P, Gaarder PI, Jaakkola JJ. Exposure to pets and atopy-related diseases in the first 4 years of life. *Allergy.* 2001 Apr;56(4):307-12.
7. Fall T, Lundholm C, Örtqvist AK, Fall K, et al. Early life exposure to dogs and farm animals and the risk of childhood asthma. *JAMA Pediatr.* 2015 Nov 2;169(11):e153219.
8. Lodrup Carlsen KC, Roll S, Carlsen KH, Mowinckel P, Wijga AH, Brunekreef B, Torrent M, Roberts G, Arshad H, Kull I, Krämer U, von Berg A, Eller E, Host A, Kuehni C, Spycher B, Sunyer J, Chen C-H, Reich A, Asarnoj A, Puig C, Herbarth O, Mahachie John JM, Van Steen K, Willich SN, Wahn U, Lau S, Keil T as part of the GA2LEN WP 1.5 'Birth Cohorts' working group. Does pet ownership in infancy lead to asthma or allergy at school age? Pooled analysis of individual participant data from 11 European birth cohorts. *PLoS One.* 2012; 7(8): e43214.
9. Chen CM, Tischer C, Schnappinger M, et al. The role of cats and dogs in asthma and allergy--a systematic review. *International journal of hygiene and environmental health* 2010;213(1):1-31.
10. Apelberg BJ, Aoki Y, Jaakkola JJ. Systematic review: Exposure to pets and risk of asthma and asthma-like symptoms. *The Journal of allergy and clinical immunology* 2001;107(3):455-60.
11. Takkouche B, Gonzalez-Barcala FJ, Etminan M, et al. Exposure to furry pets and the risk of asthma and allergic rhinitis: a meta-analysis. *Allergy* 2008;63(7):857-64.
12. Almqvist C, Egmar AC, van Hage-Hamsten M, Berglind N, Pershagen G, Nordvall SL, et al. Heredity, pet ownership, and confounding control in a population-based birth cohort. *The Journal of allergy and clinical immunology.* 2003 Apr;111(4):800-6.

Faktorer som påverkar risken att bli allergisk som barn

revidering nov 2015

13. Nafstad P, Brunekreef B, Skrondal A, Nystad W. Early respiratory infections, asthma, and allergy: 10-year follow-up of the Oslo Birth Cohort. *Pediatrics*. 2005 Aug;116(2):e255-62.
14. Konradsen JR, Fujisawa T, van Hage M, et al. Allergy to furry animals: New insights, diagnostic approaches, and challenges. *J Allergy Clin Immunol*. 2015 Mar;135(3):616-25.

Lantbrukarmiljö

1. von Mutius E. Maternal farm exposure/ingestion of unpasteurized cow's milk and allergic disease. *Curr Opin Gastroenterol*. 2012 Nov;28(6):570-6.
2. Ege MJ, Bieli C, Frei R, van Strien RT, Riedler J, Ublagger E, et al. Prenatal farm exposure is related to the expression of receptors of the innate immunity and to atopic sensitization in school-age children. *J Allergy Clin Immunol*. 2006 Apr;117(4):817-23.
3. Fall T, Lundholm C, Örtqvist AK, Fall K, et al. Early life exposure to dogs and farm animals and the risk of childhood asthma. *JAMA Pediatr*. 2015 Nov 2;169(11):e153219.
4. Wlasiuk G, Vercelli D. The farm effect, or: when, what and how a farming environment protects from asthma and allergic disease. *Curr Opin Allergy Clin Immunol*. 2012 Oct;12(5):461-6.
5. Loss G, Bitter S, Wohlgensinger J, et al; PASTURE study group. Prenatal and early-life exposures alter expression of innate immunity genes: the PASTURE cohort study. *J Allergy Clin Immunol*. 2012 Aug;130(2):523-30.
6. von Kobyletzki LB, Bornehag CG, Breeze E, Larsson M, Lindström CB, Svensson Å. Factors associated with remission of eczema in children: a population-based follow-up study. *Acta Derm Venereol*. 2014 Mar;94(2):179-84.

Antroposofisk livsstil

1. Alm JS, Swartz J, Lilja G, Scheynius A, Pershagen G. Atopy in children of families with an anthroposophic lifestyle. *Lancet*. 1999 May 1;353(9163):1485-8.
2. Flostrup H, Swartz J, Bergstrom A, Alm JS, Scheynius A, van Hage M, et al. Allergic disease and sensitization in Steiner school children. *The Journal of allergy and clinical immunology*. 2006 Jan;117(1):59-66.
3. Stenius F, Swartz J, Lilja G, Borres M, Pershagen G, Scheynius A, Alm J. Lifestyle factors and sensitisation in children – the ALADDIN birth cohort. *Allergy*. 2011 Oct;66(10):1330-38.
4. Swartz J, Arinell H, Theorell T, Lindblad F, Alm J. Anthroposophic lifestyle and salivary cortisol are associated with a lower risk of sensitization during childhood. *Pediatr Allergy Immunol*. 2015 Mar;26(2):153-60.
5. Stenius F, Swartz J, Lilja G, Borres M, Bottai M, Pershagen G, Scheynius A, Theorell T, Lindblad F, Alm J. Salivary cortisol levels and allergy in children - the ALADDIN birth cohort. *J Allergy Clin Immunol*. 2011 Dec;128(6):1335-9.

Tarmens bakteriesammansättning

1. Adlerberth I, Carlsson B, de Man P, Jalil F, Khan SR, Larsson P, et al. Intestinal colonization with Enterobacteriaceae in Pakistani and Swedish hospital-delivered infants. *Acta Paediatr*. 1991 Jun-Jul;80(6-7):602-10.
2. Ege MJ, Mayer M, Normand AC, et al. Exposure to environmental microorganisms and childhood asthma. *N Engl J Med*. 2011;364:701-9.
3. Hanski I, von Hertzen L, Fyhrquist N, et al. Environmental biodiversity, human microbiota, and allergy are interrelated. *Proc Natl Acad Sci*. 2012;109:8334-9.
4. Song SJ, Lauber C, Costello EK, et al. Cohabiting family members share microbiota with one another and with their dogs. *Elife*. 2013;2:e00458.
5. Nwaru BI, Takkinnen HM, Kaila M, et al. Food diversity in infancy and the risk of childhood asthma and allergies. *J Allergy Clin Immunol*. 2014;133:1084-91.
6. Alm B, Erdes L, Möllborg P, et al. Neonatal antibiotic treatment is a risk factor for early wheezing. *Pediatrics*. 2008;121:697-702.
7. Hakansson S, Kallen K. Caesarean section increases the risk of hospital care in childhood for asthma and gastroenteritis. *Clin Exp Allergy*. 2003 Jun;33(6):757-64.
8. Bager P, Wohlfahrt J, Westergaard T. Caesarean delivery and risk of atopy and allergic disease: meta-analyses. *Clin Exp Allergy*. 2008 Apr;38(4):634-42.
9. Thavagnanam S, Fleming J, Bromley A, Shields MD, Cardwell CR. A meta-analysis of the association between Caesarean section and childhood asthma. *Clin Exp Allergy*. 2008 Apr;38(4):629-33.
10. Hesselmar B, Sjöberg F, Saalman R, Åberg N, Adlerberth I, Wold AE. Pacifier cleaning practices and risk of allergy development. *Pediatrics*. 2013;131:e1829-37.
11. Penders J, Stobberingh EE, van den Brandt PA, Thijs C. The role of the intestinal microbiota in the development of atopic disorders. *Allergy*. 2007 Nov;62(11):1223-36.
12. Adlerberth I, Wold AE. Establishment of the gut microbiota in Western infants. *Acta Paediatr*. 2009 Feb;98(2):229-38.
13. Abrahamsson TR, Jakobsson HE, Andersson AF, Björkstén B, Engstrand L, Jenmalm MC. Low diversity of the gut microbiota in infants with atopic eczema. *J Allergy Clin Immunol*. 2012;129:434-40.

Faktorer som påverkar risken att bli allergisk som barn

revidering nov 2015

14. Abrahamsson TR, Jakobsson HE, Andersson AF, Björkstén B, Engstrand L, Jenmalm MC. Low gut microbiota diversity in early infancy precedes asthma at school age. *Clin Exp Allergy*. 2014;44:842-50.
15. Boyle RJ, Bath-Hextall FJ, Leonardi-Bee J, Murrell DF, Tang ML. Probiotics for treating eczema. Cochrane database of systematic reviews (Online). 2008(4):CD006135.

Psykosociala faktorer och stress

1. Knackstedt MK, Hamelmann E, Arck PC. Mothers in stress: consequences for the offspring. *Am J Reprod Immunol*. 2005 Aug;54(2):63-9.
2. Larsson M, Hagerhed-Engman L, Sigsgaard T, Janson S, Sundell J, Bornehag CG. Incidence rates of asthma, rhinitis and eczema symptoms and influential factors in young children in Sweden. *Acta Paediatr*. 2008 Sep;97(9):1210-5.
3. Chrousos P. The hypothalamic-pituitary-adrenal axis and immune mediated inflammation. *N Engl J Med*. 1995;333:1351-62.
4. Elenkov IJ, Chrousos GP. Stress hormones, Th1/Th2 balance. *Ann N Y Acad Sci*. 2004;1024: 138-46.
5. Elenkov IJ. Glucocorticoids and the Th1/Th2 balance. *Ann N Y Acad Sci*. 2004;1024:138-46.
6. Segerstrom SC, Miller GE. Psychological stress and the human immune system: a meta-analytic study of 30 years of inquiry. *Psychological bulletin*. 2004 Jul;130(4):601-30.
7. Olgart Höglund C et al. Changes in immune regulation in response to examination stress in atopic and healthy individuals. *Clin Exp All*. 2006;36:982-92.
8. Marshall PS, O'Hara C, Steinberg P. Effects of seasonal allergic rhinitis on fatigue levels and mood. *Psychosomatic medicine*. 2002 Jul-Aug;64(4):684-91.
9. Walker S, Khan-Wasti S, Fletcher M, Cullinan P, Harris J, Sheikh A. J. Seasonal Allergic Rhinitis is Associated With a Detrimental effect on Examination Performance in United Kingdom Teenagers: Case-Control Study. *Allergy Clin Immunol*. 2007;120(2):381-7.
10. Bockelbrink A, Willich SN, Dirzus I, Reich A, Lau S, Wahn U, et al. Environmental noise and asthma in children: sex-specific differences. *J Asthma*. 2008 Nov;45(9):770-3.
11. Milam J, McConnell R, Yao L, Berhane K, Jerrett M, Richardson J. Parental stress and childhood wheeze in a prospective cohort study. *J Asthma*. 2008 May;45(4):319-23.
12. Arck PC, Slominski A, Theoharides TC, Peters EM, Paus R. Neuroimmunology of stress: skin takes center stage. *J invest. derm*. 2006 Aug;126(8):1697-704.
13. Chida Y, Hamer M, Steptoe A. A bidirectional relationship between psychosocial factors and atopic disorders: a systematic review and meta-analysis. *Psychosomatic med*. 2008 Jan;70(1):102-16.
14. Liu LY, Coe CL, Swenson CA, Kelly EA, Kita H, Busse WW. School examinations enhance airway inflammation to antigen challenge. *American journal of respiratory and critical care medicine*. 2002 Apr 15;165(8):1062-7.

Tobaksrök

1. Rylander E, Pershagen G, Eriksson M, Nordvall L. Parental smoking and other risk factors for wheezing bronchitis in children. *European journal of epidemiology*. 1993 Sep;9(5):517-26.
2. Stein RT, Holberg CJ, Sherrill D, Wright AL, Morgan WJ, Taussig L, et al. Influence of parental smoking on respiratory symptoms during the first decade of life: the Tucson Children's Respiratory Study. *Am J epidemiology*. 1999 Jun 1;149(11):1030-7.
3. Lodrup Carlsen KC, Carlsen KH, Nafstad P, Bakkeig L. Perinatal risk factors for recurrent wheeze in early life. *Pediatr Allergy Immunol*. 1999 May;10(2):89-95.
4. Lannero E, Wickman M, Pershagen G, Nordvall L. Maternal smoking during pregnancy increases the risk of recurrent wheezing during the first years of life (BAMSE). *Respiratory research*. 2006;7:3.
5. Neuman Å, Hohmann C, Orsini N, et al; ENRIECO Consortium. Maternal smoking in pregnancy and asthma in preschool children: a pooled analysis of eight birth cohorts. *Am J Respir Crit Care Med*. 2012 Nov 15;186(10):1037-43.
6. Magnus M. Grandmother's smoking when pregnant with the mother and asthma in the grandchild: the Norwegian Mother and Child Cohort Study. *Thorax*. 2015 Mar;70(3):237-43.
7. Goksör E, Amark M, Alm B, Gustafsson PM, Wennergren G. The impact of pre- and post-natal smoke exposure on future asthma and bronchial hyper-responsiveness. *Acta Paediatr*. 2007 Jul;96(7):1030-5.
8. Thacher JD, Gruzieva O, Pershagen G, Neuman Å, Wickman M, Kull I, Melén E, Bergström A. Pre- and postnatal exposure to parental smoking and allergic disease through adolescence. *Pediatrics*. 2014 Sep;134(3):428-34.
9. Gilliland FD, Li YF, Dubeau L, Berhane K, Avol E, McConnell R, et al. Effects of glutathione S-transferase M1, maternal smoking during pregnancy, and environmental tobacco smoke on asthma and wheezing in children. *Am J Resp Crit Care Med*. 2002 Aug 15;166(4):457-63.
10. Joubert BR et al. 450K epigenome-wide scan identifies differential DNA methylation in newborns related to maternal smoking during pregnancy. *Environ Health Perspect*. 2012 Oct;120(10):1425-31.
11. Goksör E, Amark M, Alm B, Gustafsson PM, Wennergren G. Asthma symptoms in early childhood--what happens then? *Acta*

Faktorer som påverkar risken att bli allergisk som barn

revidering nov 2015

- Paediatr. 2006 Apr;95(4):471-8.
- 12. Goksör E, Åmark M, Alm B, Ekerljung L, Lundbäck B, Wennergren G. High risk of adult asthma following severe wheezing in early life. Pediatr Pulmonol 2015 Aug;50(8):789-97.
 - 13. Strachan DP, Butland BK, Anderson HR. Incidence and prognosis of asthma and wheezing illness from early childhood to age 33 in a national British cohort. BMJ. 1996 May 11;312(7040):1195-9.
 - 14. Sears MR, Greene JM, Willan AR, Wiecek EM, Taylor DR, Flannery EM, et al. A longitudinal, population-based, cohort study of childhood asthma followed to adulthood. N Engl J Med. 2003 Oct 9;349(15):1414-22.
 - 15. de Vries H, Engels R, Kremers S, Wetzels J, Mudde A. Parents' and friends' smoking status as predictors of smoking onset: findings from six European countries. Health education research. 2003 Oct;18(5):627-36.
 - 16. Wennergren G, Ekerljung L, Alm B, Bjerg A, Lötvall J, Lundbäck B. Alarmingly high prevalence of smoking and symptoms of bronchitis in young women in Sweden: a population-based questionnaire study. Primary Care Respir J 2013; 22 (2): 214-20.
 - 17. Braback L, Kjellman NI, Sandin A, Bjorksten B. Atopy among schoolchildren in northern and southern Sweden in relation to pet ownership and early life events. Pediatr Allergy Immunol. 2001 Feb;12(1):4-10.
 - 18. Kulig M, Luck W, Lau S, Niggemann B, Bergmann R, Klettke U, et al. Effect of pre- and postnatal tobacco smoke exposure on specific sensitization to food and inhalant allergens during the first 3 years of life. Multicenter Allergy Study Group, Germany. Allergy. 1999 Mar;54(3):220-8.
 - 19. Lanner E, Wickman M, van Hage M, Bergstrom A, Pershagen G, Nordvall L. Exposure to environmental tobacco smoke and sensitisation in children. Thorax. 2008 Feb;63(2):172-6.
 - 20. Henderson FW, Henry MM, Ivins SS, Morris R, Neebe EC, Leu SY, et al. Correlates of recurrent wheezing in school-age children. The Physicians of Raleigh Pediatric Associates. American journal of respiratory and critical care medicine. 1995 Jun;151(6):1786-93.
 - 21. Murray CS, Woodcock A, Smillie FI, Cain G, Kissen P, Custovic A. Tobacco smoke exposure, wheeze, and atopy. Pediatric pulmonology. 2004 Jun;37(6):492-8.
 - 22. Arshad SH, Kurukulaaratchy RJ, Fenn M, Matthews S. Early life risk factors for current wheeze, asthma, and bronchial hyperresponsiveness at 10 years of age. Chest. 2005 Feb;127(2):502-8.

Luftföroreningar

- 1. Schildcrout JS, Sheppard L, Lumley T, Slaughter JC, Koenig JQ, Shapiro GG. Ambient air pollution and asthma exacerbations in children: an eight-city analysis. Am J Epidemiology. 2006 Sep 15;164(6):505-17.
- 2. Gauderman WJ, Avol E, Gilliland F, Vora H, Thomas D, Berhane K, et al. The effect of air pollution on lung development from 10 to 18 years of age. N Engl J Med. 2004 Sep 9;351(11):1057-67.
- 3. Schultz E et al, Traffic-related air pollution and lung function in children at 8 years of age - A Birth Cohort Study. Am J Respir Crit Care Med 2012 Dec 15;186(12):1286-91.
- 4. Nordling E, Berglind N, Melen E, Emenius G, Hallberg J, Nyberg F, et al. Traffic-related air pollution and childhood respiratory symptoms, function and allergies. Epidemiology. 2008 May;19(3):401-8.
- 5. Brauer M, Hoek G, Smit HA, de Jongste JC, Gerritsen J, Postma DS, et al. Air pollution and development of asthma, allergy and infections in a birth cohort. Eur Respir J. 2007 May;29(5):879-88.
- 6. Carlsten C and Melén E. Air pollution, genetics, and allergy: An update. Curr Opin Allergy Clin Immunol 2012;12:455–460.
- 7. Gehring U, Beelen R, Eeftens M, Hoek G, de Hoogh K, de Jongste JC, Keuken M, Koppelman GH, Meliefste K, Oldenwening M, Postma DS, van Rossem L, Wang M, Smit HA, Brunekreef B. Particulate Matter Composition and Respiratory Health: The PIAMA Birth Cohort Study. Epidemiology. 2015 May;26(3):300-9.
- 8. Luftföreningar och barns luftvägshälsa, rapport 6353. 2010. Naturvårdsverket. ISBN 978-91-620-6353-5. E-bok.
- 9. Gruzieva O, Merid SK, Melén E. An update on epigenetics and childhood respiratory diseases. Paediatr Respir Rev. 2014 Dec;15(4):348-54.

Inomhusmiljö, fukt- och mögelskador

- 1. CAMM 2014 Faktablad. Hälsobesvär av inomhusmiljön, camm.sll.se
- 2. Kanchongkitiphon W, Mendell MJ, Gaffin JM, Wang G, Phipatanakul W. 2015. Indoor environmental exposures and exacerbation of asthma: an update to the 2000 review by the Institute of Medicine. Environ Health Perspect. 2015 Jan;123(1):6-20.
- 3. Sharpe RA, Bearman N, Thornton CR, Husk K, Osborne NJ. Indoor fungal diversity and asthma: A meta-analysis and systematic review of risk factors. J Allergy Clin Immunol 2015;135:110-22.
- 4. Kennedy K, Grimes C. Indoor Water and Dampness and the Health Effects on Children: A Review. Curr Allergy Asthma Rep (2013) 13:672–680.
- 5. Norbäck D1, Zock JP, Plana E, Heinrich J, Svanes C, Sunyer J, Künzli N, Villani S, Olivieri M, Soon A, . Mould and dampness in dwelling places, and onset of asthma: the population-based cohort ECRHS. Occup Environ Med. 2013 May;70(5):325-31.
- 6. Quansah, R., M. S. Jaakkola, et al. Residential dampness and molds and the risk of developing asthma: a systematic review and meta-analysis. PLoS One. 2012;7(11): e47526.
- 7. Tischer CG, Hohmann C, Thiering E, Herbarth O, Muller A, Henderson J, et al. Meta-analysis of mould and dampness

Faktorer som påverkar risken att bli allergisk som barn

revidering nov 2015

- on asthma and allergy in eight European birth cohorts: an ENRIECO initiative. *Allergy*. 2011;66(12):1570-9.
8. Wever-Hess J, Kouwenberg JM, Duiverman EJ, Hermans J, Wever AM. Risk factors for exacerbations and hospital admissions in asthma of early childhood. *Pediatric pulmonology*. 2000 Apr;29(4):250-6.
9. WHO guidelines for indoor air quality: dampness and mould. World Health Organization 2009
- Pollen**
1. Kulig M, Klettke U, Wahn V, Forster J, Bauer CP, Wahn U. Development of seasonal allergic rhinitis during the first 7 years of life. *J Allergy Clin Immunol*. 2000 Nov;106(5):832-9.
 2. Ghunaim N, Wickman M, Almqvist C, Soderstrom L, Ahlstedt S, van Hage M. Sensitization to different pollens and allergic disease in 4-year-old Swedish children. *Clin Exp Allergy*. 2006 Jun;36(6):722-7.
 3. Suoniemi I, Bjorksten F, Haahtela T. Dependence of immediate hypersensitivity in the adolescent period on factors encountered in infancy. *Allergy*. 1981 May;36(4):263-8.
 4. Bjorksten F, Suoniemi I, Koski V. Neonatal birch-pollen contact and subsequent allergy to birch pollen. *Clinical allergy*. 1980 Sep;10(5):585-91.
 5. Businco L, Cantani A, Farinella F, Businco E. Month of birth and grass pollen or mite sensitization in children with respiratory allergy: a significant relationship. *Clinical allergy*. 1988 May;18(3):269-74.
 6. Schafer T, Przybilla B, Ring J, Kunz B, Greif A, Uberla K. Manifestation of atopy is not related to patient's month of birth. *Allergy*. 1993 May;48(4):291-4.
 7. Nilsson L, Bjorksten B, Hattevig G, Kjellman B, Sigurs N, Kjellman NI. Season of birth as predictor of atopic manifestations. *Archives of disease in childhood*. 1997 Apr;76(4):341-4.
 8. Kihlstrom A, Lilja G, Pershagen G, Hedlin G. Exposure to birch pollen in infancy and development of atopic disease in childhood. *J Allergy Clin Immunol*. 2002 Jul;110(1):78-84.
 9. Erbas B, Lowe AJ, Lodge CJ, Matheson MC, Hosking CS, Hill DJ, Vicendese D, Allern, KJ, Abrahamson MJ, Dharmage SC. Persistent pollen exposure during infancy is associated with increased risk of subsequent childhood asthma and hayfever. *Clin Exp Allergy* 21; 43:337-343.
 10. Kihlstrom A, Lilja G, Pershagen G, Hedlin G. Exposure to high doses of birch pollen during pregnancy, and risk of sensitization and atopic disease in the child. *Allergy*. 2003 Sep;58(9):871-7.
 11. Kihlstrom A, Lilja G, Pershagen G, Hedlin G. Maternal pollen allergy may be more important than birch pollen exposure during pregnancy for atopic airway disease in the child. *Pediatr Allergy Immunol*. 2004 Dec;15(6):497-505.
 12. Lowe AJ, Olsson D, Bråbäck L, Forsberg B. Pollen exposure in pregnancy and early infancy and risk of asthma hospitalisation – a register based cohort study. *Allergy, Asthma and Clinical Immunology*. 2012; 8: 17.
 13. Braun-Fahrlander C, Gassner M, Grize L, Neu U, Sennhauser FH, Varonier HS, et al. Prevalence of hay fever and allergic sensitization in farmer's children and their peers living in the same rural community. SCARPOL team. Swiss Study on Childhood Allergy and Respiratory Symptoms with Respect to Air Pollution. *Clin Exp Allergy*. 1999 Jan;29(1):28-34.
 14. Sudre B, Vacheyrou M, Braun-Fahrlander C, Normand AC, Waser M, Reboux G, et al. High levels of grass pollen inside European dairy farms: a role for the allergy-protective effects of environment? *Allergy*. 2009 Jul;64(7):1068-73.
 15. Biagini JM, LeMasters GK, Ryan PH, Levin L, Reponen T, Bernstein DI, Villareal M, Kuhurana Hershey GK, Burkle J, Lockey J. Environmental risk factors of rhinitis in early infancy. *Pediatr Allergy Immunol* 2006 June; 17(4):278-284.
 16. Boralevi F, Hubiche T, Leaute-Labreze C, Saubusse E, Fayon M, Roul S, et al. Epicutaneous aeroallergen sensitization in atopic dermatitis infants - determining the role of epidermal barrier impairment. *Allergy*. 2008 Feb;63(2):205-10.
 17. Gustafsson D, Sjoberg O, Foucard T. Sensitization to food and airborne allergens in children with atopic dermatitis followed up to 7 years of age. *Pediatr Allergy Immunol*. 2003 Dec;14(6):448-52.
 18. Jacobsen L, Niggemann B, Dreborg S, Ferdousi HA, Halken S, Host A, et al. Specific immunotherapy has long-term preventive effect of seasonal and perennial asthma: 10-year follow-up on the PAT study. *Allergy*. 2007 Aug;62(8):943-8.

Kostfaktorer

1. Kramer MS, Kakuma R. Maternal dietary antigen avoidance during pregnancy or lactation, or both, for preventing or treating atopic disease in the child. *Cochrane Database of Systematic Reviews* 2012, Issue 9. Art. No.: CD000133.
2. Greer FR, Sicherer SH, Burks AW; American Academy of Pediatrics Committee on Nutrition; American Academy of Pediatrics Section on Allergy and Immunology. Effects of early nutritional interventions on the development of atopic disease in infants and children: the role of maternal dietary restriction, breastfeeding, timing of introduction of complementary foods, and hydrolyzed formulas. *Pediatrics*. 2008 Jan;121(1):183-91.
3. Fleischer DM, Spergel JM, Assa'ad AH, Pongracic JA. Primary prevention of allergic disease through nutritional interventions. *J Allergy Clin Immunol Pract*. 2013 Jan;1(1):29-36.
4. Willers SM, Devereux G, Craig LC, McNeill G, Wijga AH, Abou El-Magd W, et al. Maternal food consumption during pregnancy and asthma, respiratory and atopic symptoms in 5-year-old children. *Thorax*. 2007 Sep;62(9):773-9.
5. Romieu I, Torrent M, Garcia-Esteban R, Ferrer C, Ribas-Fito N, Anto JM, et al. Maternal fish intake during pregnancy and atopy and asthma in infancy. *Clin Exp Allergy*. 2007 Apr;37(4):518-25.
6. Frazier AL, Camargo CA Jr, Malspeis S, Willett WC, Young MC. Prospective study of peripregnancy consumption of peanuts

Faktorer som påverkar risken att bli allergisk som barn

revidering nov 2015

- or tree nuts by mothers and the risk of peanut or tree nut allergy in their offspring. *JAMA Pediatr.* 2014 Feb;168(2):156-62.
- 7. Calvani M, Alessandri C, Sopo SM, Panetta V, Pingitore G, Tripodi S, et al. Consumption of fish, butter and margarine during pregnancy and development of allergic sensitizations in the offspring: role of maternal atopy. *Pediatr Allergy Immunol.* 2006 Mar;17(2):94-102.
 - 8. Furuhjelm C, Warstedt K, Larsson J, Fredriksson M, Bottcher MF, Falth-Magnusson K, et al. Fish oil supplementation in pregnancy and lactation may decrease the risk of infant allergy. *Acta Paediatr.* 2009 Sep;98(9):1461-7.
 - 9. Martindale S, McNeill G, Devereux G, Campbell D, Russell G, Seaton A. Antioxidant intake in pregnancy in relation to wheeze and eczema in the first two years of life. *American journal of respiratory and critical care medicine.* 2005 Jan 15;171(2):121-8.
 - 10. Devereux G, Litonjua AA, Turner SW, Craig LC, McNeill G, Martindale S, et al. Maternal vitamin D intake during pregnancy and early childhood wheezing. *The American journal of clinical nutrition.* 2007 Mar;85(3):853-9.
 - 11. Abrahamsson TR, Jakobsson T, Bottcher MF, Fredriksson M, Jenmalm MC, Bjorksten B, et al. Probiotics in prevention of IgE-associated eczema: a double-blind, randomized, placebo-controlled trial. *The Journal of allergy and clinical immunology.* 2007 May;119(5):1174-80.
 - 12. Kukkonen K, Savilahti E, Haahtela T, Juntunen-Backman K, Korpela R, Poussa T, et al. Probiotics and prebiotic galacto-oligosaccharides in the prevention of allergic diseases: a randomized, double-blind, placebo-controlled trial. *The Journal of allergy and clinical immunology.* 2007 Jan;119(1):192-8.
 - 13. Alm B, Erdes L, Mollborg P, Pettersson R, Norvenius SG, Aberg N, et al. Neonatal antibiotic treatment is a risk factor for early wheezing. *Pediatrics.* 2008 Apr;121(4):697-702.
 - 14. Kull I, Wickman M, Lilja G, Nordvall SL, Pershagen G. Breast feeding and allergic diseases in infants-a prospective birth cohort study. *Archives of disease in childhood.* 2002 Dec;87(6):478-81.
 - 15. Elliott L, Henderson J, Northstone K, Chiu GY, Dunson D, London SJ. Prospective study of breast-feeding in relation to wheeze, atopy, and bronchial hyperresponsiveness in the Avon Longitudinal Study of Parents and Children (ALSPAC). *The Journal of allergy and clinical immunology.* 2008 Jul;122(1):49-54, e1-3.
 - 16. Kull I, Melén E, Alm J, Hallberg J, Svartengren M, van Hage M, Pershagen G, Wickman M, Bergström A. Breast-feeding in relation to asthma, lung function and sensitization in young school children. *J Allergy Clin Immunol.* 2010 May;125(5):1013-9.
 - 17. Kull I, Bohme M, Wahlgren CF, Nordvall L, Pershagen G, Wickman M. Breast-feeding reduces the risk for childhood eczema. *The Journal of allergy and clinical immunology.* 2005 Sep;116(3):657-61.
 - 18. Kramer MS, Chalmers B, Hodnett ED, Sevkovskaya Z, Dzikovich I, Shapiro S, et al. Promotion of Breastfeeding Intervention Trial (PROBIT): a randomized trial in the Republic of Belarus. *Jama.* 2001 Jan 24-31;285(4):413-20.
 - 19. Laubereau B, Brockow I, Zirngibl A, Koletzko S, Gruebl A, von Berg A, et al. Effect of breast-feeding on the development of atopic dermatitis during the first 3 years of life--results from the GINI-birth cohort study. *The Journal of pediatrics.* 2004 May;144(5):602-7.
 - 20. Hagendorens MM, Bridts CH, Lauwers K, van Nuijs S, Ebo DG, Vellinga A, et al. Perinatal risk factors for sensitization, atopic dermatitis and wheezing during the first year of life (PIPO study). *Clin Exp Allergy.* 2005 Jun;35(6):733-40.
 - 21. Snijders BE, Thijss C, Dagnelie PC, Stelma FF, Mommers M, Kummeling I, et al. Breast-feeding duration and infant atopic manifestations, by maternal allergic status, in the first 2 years of life (KOALA study). *The Journal of pediatrics.* 2007 Oct;151(4):347-51, 51 e1-2.
 - 22. Mahrshahi S, Ampon R, Webb K, Almqvist C, Kemp AS, Hector D, et al. The association between infant feeding practices and subsequent atopy among children with a family history of asthma. *Clin Exp Allergy.* 2007 May;37(5):671-9.
 - 23. Alm B, Aberg N, Erdes L, Mollborg P, Pettersson R, Norvenius SG, et al. Early introduction of fish decreases the risk of eczema in infants. *Archives of disease in childhood.* 2009 Jan;94(1):11-5.
 - 24. Bergmann RL, Diepgen TL, Kuss O, Bergmann KE, Kujat J, Dudenhausen JW, et al. Breastfeeding duration is a risk factor for atopic eczema. *Clin Exp Allergy.* 2002 Feb;32(2):205-9.
 - 25. Pesonen M, Kallio MJ, Ranki A, Siimes MA. Prolonged exclusive breastfeeding is associated with increased atopic dermatitis: a prospective follow-up study of unselected healthy newborns from birth to age 20 years. *Clin Exp Allergy.* 2006 Aug;36(8):1011-8.
 - 26. Grimshaw KE, Allen K, Edwards CA, Beyer K, Boulay A, van der Aa LB, et al. Infant feeding and allergy prevention: a review of current knowledge and recommendations. A EuroPrevall state of the art paper. *Allergy.* 2009 Oct;64(10):1407-16.
 - 27. Osborn DA, Sinn J. Formulas containing hydrolysed protein for prevention of allergy and food intolerance in infants. *Cochrane database of systematic reviews (Online).* 2006(4):CD003664.
 - 28. von Berg A, Koletzko S, Filipiak-Pittroff B, Laubereau B, Grubl A, Wichmann HE, et al. Certain hydrolyzed formulas reduce the incidence of atopic dermatitis but not that of asthma: three-year results of the German Infant Nutritional Intervention Study. *The Journal of allergy and clinical immunology.* 2007 Mar;119(3):718-25.
 - 29. von Berg A, Filipiak-Pittroff B, Krämer U, Hoffmann B, Link E, Beckmann C, Hoffmann U, Reinhardt D, Grübl A, Heinrich J, Wichmann HE, Bauer CP, Koletzko S, Berdel D; GINIplus study group. Allergies in high-risk schoolchildren after early intervention with cow's milk protein hydrolysates: 10-year results from the German Infant Nutritional Intervention (GINI) study. *J Allergy Clin Immunol.* 2013 Jun;131(6):1565-73.
 - 30. von Berg A, Filipiak-Pittroff B, Kramer U, Link E, Bollrath C, Brockow I, et al. Preventive effect of hydrolyzed infant formulas

Faktorer som påverkar risken att bli allergisk som barn

revidering nov 2015

persists until age 6 years: long-term results from the German Infant Nutritional Intervention Study (GINI). The Journal of allergy and clinical immunology. 2008 Jun;121(6):1442-7.

31. Du Toit G, Katz Y, Sasieni P, Mesher D, Maleki SJ, Fisher HR, Fox AT, Turcanu V, Amir T, Zadik-Mnuhin G, Cohen A, Livne I, Lack GJ. Early consumption of peanuts in infancy is associated with a low prevalence of peanut allergy. *Allergy Clin Immunol*. 2008 Nov;122(5):984-91.
32. Du Toit G, Roberts G, Sayre PH, Bahnsen HT, Radulovic S, Santos AF, Brough HA, Phippard D, Basting M, Feeney M, Turcanu V, Sever ML, Gomez Lorenzo M, Plaut M, Lack G; LEAP Study Team. Randomized trial of peanut consumption in infants at risk for peanut allergy. *N Engl J Med*. 2015 Feb 26;372(9):803-13.
33. Kull I, Bergstrom A, Lilja G, Pershagen G, Wickman M. Fish consumption during the first year of life and development of allergic diseases during childhood. *Allergy*. 2006 Aug;61(8):1009-15.
34. Goksör E, Alm B, Pettersson R, Möllborg P, Erdes L, Åberg N, Wennergren G. Early fish introduction and neonatal antibiotics affect the risk of asthma into school age. *Pediatr Allergy Immunol* 2013; 24 (4): 339-44.
35. Osborn DA, Sinn JK. Probiotics in infants for prevention of allergic disease and food hypersensitivity. Cochrane database of systematic reviews (Online). 2007(4):CD006475.
36. Schindler T, Gladman L, Sinn JKH, Osborn DA. Polyunsaturated fatty acid supplementation in infancy for the prevention of allergy and food hypersensitivity (Protocol). Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD010112.
37. Kremmyda LS, Vlachava M, Noakes PS, Diaper ND, Miles EA, Calder PC. Atopy risk in infants and children in relation to early exposure to fish, oily fish, or long-chain omega-3 fatty acids: a systematic review. *Clin Rev Allergy Immunol*. 2011 Aug;41(1):36-66.